

AMENDMENTS TO THE CLAIMS

Claims 1-9 (Cancelled).

10. (New) An extension guide fitting for a drawer, comprising:

an extension rail to be attached to a drawer;
a carrier rail to be attached to a furniture body;
a middle rail arranged to run between said extension rail and said carrier rail;
carriages each having running rollers mounted therein for transmitting a load between said extension rail, said middle rail, and said carrier rail;
a rocker member mounted at a front portion of said carrier rail; and
stationary support rollers mounted in said rocker member, said rocker member and said stationary support rollers being arranged so that said extension rail runs on said stationary support rollers and is supported by said stationary support rollers at least when said extension rail is in a closed position.

11. (New) The extension guide fitting of claim 10, wherein said stationary support rollers are arranged laterally adjacent to said middle rail.

12. (New) The extension guide fitting of claim 10, wherein said stationary support rollers are arranged so that a first one of said stationary support rollers is located behind a second one of said stationary support rollers with respect to a direction of displacement of the drawer.

13. (New) The extension guide fitting of claim 10, wherein said rocker member includes common plates between which said stationary support rollers are mounted.

14. (New) The extension guide fitting of claim 10, wherein said stationary support rollers comprise three stationary support rollers mounted in said rocker member and arranged so that a first one of said three stationary support rollers is located behind a second one of said three

stationary support rollers with respect to a direction of displacement of the drawer, and so that said second one of said three stationary support rollers is located behind a third one of said three stationary support rollers with respect to the direction of displacement of the drawer.

15. (New) The extension guide fitting of claim 14, wherein said first support roller and said third support roller are mounted on support plates of said rocker member, and said second support roller is mounted at a central location on a shaft of said rocker member.

16. (New) The extension guide fitting of claim 10, wherein said extension rail has a running limb for contacting and being supported by said stationary support rollers mounted in said rocker member.

17. (New) The extension guide fitting of claim 16, wherein said running limb extends from a side limb of said extension rail so as to project toward an inside of said extension rail.

18. (New) A furniture piece comprising:

- a drawer;

- a furniture body in which said drawer is fitted;

- a first extension guide fitting including:

- a first extension rail attached to a first side of said drawer;

- a first carrier rail attached to a first side of said furniture body;

- a first middle rail arranged to run between said first extension rail and said first carrier rail;

- first carriages each having running rollers mounted therein for transmitting a load between said first extension rail, said first middle rail, and said first carrier rail;

- a first rocker member mounted at a front portion of said first carrier rail; and

- first stationary support rollers mounted in said first rocker member, said first rocker member and said first stationary support rollers being arranged so that said first extension

rail runs on said first stationary support rollers and is supported by said first stationary support rollers at least when said drawer is in a closed position; and

a second extension guide fitting including:

a second extension rail attached to a second side of said drawer;

a second carrier rail attached to a second side of said furniture body;

a second middle rail arranged to run between said second extension rail and said second carrier rail;

second carriages each having running rollers mounted therein for transmitting a load between said second extension rail, said second middle rail, and said second carrier rail;

a second rocker member mounted at a front portion of said second carrier rail; and

second stationary support rollers mounted in said second rocker member, said second rocker member and said second stationary support rollers being arranged so that said second extension rail runs on said second stationary support rollers and is supported by said second stationary support rollers at least when said drawer is in a closed position.